

NEEDLE DETECTORS



KC3220




KC3218

KC3211-12V
KC3211-24V



KC3206-12V
KC3206-24V



KC3206A-12V
KC3206A-24V



KC3215A



KC3207



KC3207S



KC3208S



KC3208



KC3207C
(Hole:6.5mm)



KC3209
(Hole:6.5mm)




KC3212




KC3201



KC3202



KC3203




KC3205




KC3201B
(Hole:10mm)




KC3201A
(Hole:10mm)




KC3201-1




KC3201-1A




KC3210



KC3210-B



KC3210-D



KC3210-E



KC3210-N

TAPE STRETCHERS



J102M



J102MA



J103M (First)
J103M-H (Second)



J103MA (First)
J103MA-H (Second)



J103A (First)
J103A-H (Second)
J103A-T (Third)



J113M-S (Single)
J113M-D (Double)



J112M-S (Single)
J112M-D (Double)



J5401 (H:25mm)
J5402 (H:55mm)
J5403 (H:85mm)



J112M-D1

QUALITY WHEELS



DOUBLE:
KC5301-1 (180mm)
KC5302-1 (210mm)
KC5302C-1 (250mm)



SINGLE:
KC5301 (180mm)
KC5302 (210mm)
KC5302C (250mm)




KC5301-SEG



J5306
(L:25cm)



KC1310B



J601



J601A



J601B



KC1302B



KC1302



J606



KC1308 (L:7mm)
KC1308-L (L:11mm)



KC1302D




KC1309B-S




KC1309-1 (L:8mm)
KC1309-1-L (L:12.5mm)



KC1309



KC1313B (L:24mm)
KC1313B-A (L:12.7mm)




KC1304 (L:14mm)




KC1310A (L:14mm)



KC1318 (L:14mm)



KC1306 (L:11.5mm)



KC1316A (L:10mm)



J2508B



KI-05-332-1


TENSIONERS & STOP MOTIONS



KC1317



KC1085




KC1085A



KC1085B




KC1092



KC1085C



KC1085D



KC1087A



KI571



KI572



KI573



KC-ES01



KI112



KI113D



KC1403 (PLUG TYPE)
(12V or 24V)



KC1406 (PIN TYPE)
KC1406A (PLUG TYPE)
(12V or 24V)

FANS



FAN-2 MIDDLE 2-HEAD FAN 220V
FAN-2-P1 8" FAN BLADE ONLY
FAN-2-M FAN MOTOR ONLY
FAN-2-M1 MAIN MOTOR ONLY
FAN-2-MP FAN MOTOR WITH BLADE



FAN-3 TOP 3-HEAD FAN 220V
FAN-3-P1 11" FAN BLADE ONLY
FAN-3-M FAN MOTOR ONLY
FAN-3-M1 MAIN MOTOR ONLY
FAN-3-MP FAN MOTOR WITH BLADE

TENSION METER



1~5 cN
2~12 cN
2~20 cN
3~30 cN
5~50 cN
10~100 cN

OI016
(MADE IN GERMANY)



YTM-25
(MADE IN GERMANY)

OIL SPRAYER

OIL TUBE:
JC-88-03A (5×2.5mm)
JC-88-03 (4.5×2mm)



JC-88 (LUBRICATOR 24V)

AIR GUNS & AIR HOSES



OI564



OI554



OI555 (6/9/12/15m)

SCISSORS



J2000



S-110



J2000-B (L:84.5mm)
J2000-BS (L:44mm)



S-105



OC307

OC307-S

OC307-A



OC308



OC303



OC303-1



OC303-1A

MINI CLOTH CUTTER



OI027-110V
OI027-220V

CLEANING GUN



JC-77A (NON-ADJUSTABLE)
JC-77B (ADJUSTABLE)
(110V or 220V)



JC-77-20A (NON-ADJUSTABLE)
JC-77-20B (ADJUSTABLE)

MAGNIFIER



HB-1 1"
HB-2 1/2"
HB-3 1.5"
HB-3A 3"



HB-1A 1"
(W/ LIGHT)

COMPACT BALANCE



OI022-110V
OI022-220V
(150g×0.01g)

SAMPLE CUTTER



OI021 (Cutter)
(Φ11.28cm)

OI021-B (Blade)
OI021-P (PU Board)

TUBE PARTS & ACCESSORIES



TK-27-P



TK-27-R



TK-27-T



TK-27-T1



CTA-EBA-0808 (8×8mm)
CTA-EBA-0810 (8×10mm)
CTA-EBA-1010 (10×10mm)
CTA-EBA-1012 (10×12mm)



CTA-CLIP-8
CTA-CLIP-10



CTA-HOLD-8P
CTA-HOLD-9.5P
CTA-HOLD-10P



CTA-HOLD-8S
CTA-HOLD-10S



TK-31



TK-40



TK-38-8




TK-26D




J607R



OC310A



CI-ST1280



CI-ST1280A-1



J3212




J3212-S



CI-PS002




KC599-R




CI-ST11-206 (A~F)




CTA-CAP



TK-2616A-325 (3×25 Clip)
TK-2616A-625 (6×25 Clip)
TK-2616A-1020 (10×20 Clip)



TK-26BA-325 (3×25 Clip)
TK-26BA-625 (6×25 Clip)
TK-26BA-1020 (10×20 Clip)



TK-26A-325 (3×25 Clip)
TK-26A-625 (6×25 Clip)
TK-26A-1020 (10×20 Clip)

CYLINDERS

Type: Variety of Single and Double Knit cylinders
 Diameter: from 4" up to 60"
 Gauge: from E6 up to E42
 Material: high quality S48CLN steel from Japan
 Quality: superb equal hardness on the verge



SINGLE JERSEY CYLINDER



DOUBLE JERSEY CYLINDER

GAUGE & DIAL INDICATORS



OI023S



OI023

CLOTH SPREADING STAND



25"~38" KC599 (Single)
 KC599D (Interlock)
 30"~48" KC600 (Single)
 KC600D (Interlock)

CREEL TUBE STANDS



CTR-8F
 CTR-9F



ALUMINUM TUBE:
 CTA2-8F-ALUM
 CTA2-9F-ALUM

PVC TUBE:
 CTA2-8F-PLST
 CTA2-9F-PLST



ALUMINUM TUBE:
 CTA1-8F-ALUM
 CTA1-9F-ALUM

PVC TUBE:
 CTA1-8F-PLST
 CTA1-9F-PLST

CLOTH WINDER

When sending inquiries, please advise,

1. Roller Length
2. Turning Direction: Clockwise / Counterclockwise
3. M/C Type: Single Jersey / Interlock
4. Revolving Diameter



Clockwise



Counterclockwise



Part No.	KC598-40	KC598-42	KC598-44	KC598-47	KC598-51	KC598-55	KC598-57
Cylinder Dia.(in)	26	28	30	32	34	36	38
Roller Length (in)	40	42	44	47	51	55	57
Net Weight (kg)	128	132	137	144	152	160	171

CLOTH FOLDING & ROLLING M/C

When sending inquiries, please advise,

1. Roller Length
2. Turning Direction: Clockwise / Counterclockwise
3. M/C Type: Single Jersey / Interlock
4. Revolving Diameter



Clockwise



Counterclockwise




Part No.	KC610-44	KC610-47	KC610-49	KC610-51	KC610-55	KC610-57
Cylinder Dia.(in)	28	30	32	34	36	38
Roller Length (in)	44	47	49	51	55	57
Net Weight (kg)	210	220	230	240	250	260

DROP WIRE STOP MOTIONS

Pls Send the Inquiry with Creel No.,
Yarn Denier, & Direction (Right / Left Side)



ER-3A




ER-3B

OIL TENSIONS

Pls Send the Inquiry with Yarn Denier & Direction.



ER-2 WITH WASHER



ER-2-01 WITHOUT WASHER



ER-2-04 WITH WASHER



ER-5