





CERAMIC YARN GUIDES





Part Number	A	B	C	D	E
G1805A.10	2.0	1.8	1.0	6.4	5.2
G2102D.10	3.1	2.0	1.0	3.0	2.0
G2104C.10	3.1	2.0	1.0	5.0	4.0
G2503D.15	3.8	2.5	1.5	4.0	3.0
G2504A.15	3.8	2.5	1.5	5.0	4.0
G2505A.15	3.8	2.5	1.5	6.8	5.5
G2507A.15	3.8	2.5	1.5	8.3	7.0
G2803A.10	4.0	2.8	1.0	4.2	3.0
G2802A.12	4.8	2.9	1.2	3.2	2.0
G2803A.12	4.8	2.9	1.2	4.2	3.0
G2901C.15	4.8	2.9	1.5	2.2	1.0
G2902A.15	4.8	2.9	1.5	3.2	2.0
G2903A.15	4.8	2.9	1.5	4.2	3.0
G2905A.15	4.8	2.9	1.5	6.5	5.0
G3102A.39	4.0	3.0	1.5	2.7	1.7
G3001A.17	4.2	3.0	1.7	2.0	1.2
G3002A.17	4.2	3.0	1.7	3.0	2.0
G3003A.17	4.2	3.0	1.7	4.2	3.0
G3003A.20	4.2	3.0	2.0	3.8	3.0
G3004A.20	4.2	3.0	2.0	4.8	4.0
G3103C.16	5.5	3.1	1.6	3.2	2.4
G3203C.16	5.6	3.2	1.6	3.3	2.5
G3204A.16	5.6	3.2	1.6	4.7	3.5
G3302A.20	4.5	3.3	2.0	3.5	2.5
G3303A.20	4.5	3.3	2.0	4.0	3.0
G3803C.17	6.5	3.5	1.7	4.2	2.7
G3704C.20	4.7	3.7	2.0	4.8	3.6
G3705T.20	4.7	3.7	2.0	6.6	5.0
G3903A.15	5.5	3.8	1.5	4.5	3.0
G3915A.19	5.5	3.8	1.9	3.0	1.5
G3904A.19	5.5	3.8	1.9	5.2	4.0
G3903W.20	5.8	3.8	2.0	4.5	2.5
G3803A.15	7.0	3.8	1.5	4.2	2.7
G3803C.20	7.0	3.8	2.0	4.0	2.5
G3903A.19	5.5	3.9	1.9	4.3	3.0
G4003A.25	5.0	4.0	2.5	4.0	3.0
G4004A.25	5.0	4.0	2.5	5.0	4.0
G4218D.20	5.5	4.2	2.0	2.8	1.8
G4203A.25	5.8	4.2	2.5	4.3	3.0
G4205C.25	5.8	4.2	2.5	5.7	4.7
G4306A.20	5.9	4.3	2.0	7.1	5.9
G4308A.20	5.9	4.3	2.0	9.2	7.9
G4403A.20	5.9	4.4	2.0	5.0	3.5
G4303C.OR	6.6	4.4	1.9	3.8	2.8
G4807W.33	6.5	4.6	3.3	8.0	6.4
G4802A.33	6.5	4.8	3.3	3.5	2.0
G4803A.33	6.5	4.8	3.3	4.5	3.0

Part Number	A	B	C	D	E
G4804A.33	6.5	4.8	3.3	5.6	4.0
G4805A.33	6.5	4.8	3.3	6.5	5.0
G4806A.33	6.5	4.8	3.3	7.0	5.5
G5005C.20	6.4	4.8	1.9	6.7	5.3
G5025A.20	6.6	5.0	2.0	3.5	2.5
G5003W.20	6.6	5.0	2.0	4.6	3.0
G5006A.20	6.6	5.0	2.0	8.0	6.5
G5104A.33	6.8	5.0	3.3	5.5	4.0
G5103A.33	6.8	5.1	3.3	4.0	2.8
G5204C.33	6.8	5.1	3.3	5.5	4.0
G5205W.33	6.8	5.1	3.3	7.0	5.0
G5203A.23	7.1	5.1	2.3	4.8	3.2
G5304A.33	6.8	5.3	3.3	5.2	4.0
G5306C.33	6.8	5.3	3.3	7.5	6.0
G5402N.00	6.4	5.4	3.6	1.8	1.2
G5705A.31	7.9	5.6	3.1	6.4	5.1
G5901A.30	7.8	5.8	2.9	3.0	1.5
G5804O.30	7.8	5.8	2.9	6.0	4.0
G5806O.30	7.8	5.8	2.9	7.6	5.7
G5906C.30	7.8	5.8	2.9	7.7	6.0
G5902A.35	7.8	5.9	3.4	3.5	2.0
G5903C.35	7.8	5.9	3.4	5.0	3.0
G5904A.35	7.8	5.9	3.4	6.0	4.0
G5905C.35	7.8	5.9	3.4	7.0	5.0
G5906C.35	7.8	5.9	3.4	8.0	6.0
G6007C.35	7.8	5.9	3.4	8.0	6.4
G5903W.31	8.3	5.9	3.0	4.8	3.0
G6002C.32	7.6	6.0	3.2	3.6	2.0
G6005A.35	7.8	6.0	3.4	6.5	5.0
G6004A.32	7.6	6.0	3.2	5.7	4.1
G6204D.35	8.1	6.1	3.5	6.0	4.2
G6107C.40	8.6	6.1	4.1	8.0	6.5
G6108A.40	10.2	6.1	4.1	9.8	7.8
G6235S.32	7.8	6.2	3.2	4.5	3.5
G6202W.35	8.1	6.2	3.5	2.8	1.8
G6205A.35	8.1	6.2	3.5	7.0	5.0
G6105A.30	8.0	6.2	3.0	7.0	5.0
G6208A.40	10.2	6.2	4.1	10.0	8.0
G6303W.35	8.0	6.3	3.5	3.5	2.5
G6304A.35	8.0	6.3	3.5	4.5	3.5
G6307A.40	8.4	6.3	4.0	8.1	6.6
G6403W.29	10.6	6.3	2.9	4.7	3.0
G6412D.29	10.6	6.3	2.9	15.0	12.0
G6416D.29	10.6	6.3	2.9	18.8	15.8
G6405A.40	8.7	6.3	4.0	6.5	5.0
G6409C.29	10.6	6.3	2.9	10.4	8.4

EYELETS



Part Number	A	B	C	D	E
G6403T.OR	8.1	6.4	3.3	5.0	3.5
G6404C.40	8.7	6.4	4.0	4.6	3.3
G6407A.40	8.7	6.4	4.0	8.4	6.7
G6602B.00	8.1	6.6	4.9	2.1	1.4
G6603A.38	8.7	6.6	3.8	5.0	3.0
G6504A.38	8.7	6.6	3.8	6.0	4.0
G6606C.38	8.7	6.6	3.8	7.5	6.0
G6803O.37	9.2	6.7	3.7	4.6	3.0
G6906A.45	9.1	6.9	4.5	7.8	5.8
G7004T.45	9.2	6.9	4.5	5.7	4.0
G7008C.40	10.1	6.9	4.0	9.8	8.0
G7010A.40	10.1	6.9	4.0	11.8	10.0
G6903T.44	12.0	6.9	4.4	5.0	2.4
G7003A.28	9.0	7.0	2.8	5.0	3.2
G7005A.40	9.0	7.0	4.0	7.0	5.2
G7007A.40	9.0	7.0	4.0	8.9	7.0
G7005A.45	9.2	7.0	4.5	7.0	5.3
G7028A.28	9.2	7.1	2.8	4.5	2.8
G7033O.30	9.2	7.1	3.0	5.0	3.3
G7203C.48	9.9	7.1	4.8	5.0	3.1
G7205A.48	9.9	7.1	4.8	6.7	5.0
G7206A.48	9.9	7.1	4.8	7.6	6.0
G7307A.35	8.8	7.2	3.4	8.3	7.0
G7305C.35	8.8	7.3	3.4	6.7	4.9
G7309A.35	8.8	7.3	3.4	11.0	9.0
G7305O.39	9.5	7.3	3.9	7.5	5.0
G7307A.39	9.5	7.3	3.9	9.0	7.0
G7406D.40	9.5	7.3	3.9	8.0	6.0
G7306C.39	9.5	7.3	3.9	7.4	5.5
G7405T.32	9.7	7.4	3.2	7.0	5.2
G7407O.19	12.3	7.4	1.9	8.0	6.3
G7511W.55	9.5	7.5	5.5	13.5	11.5
G7505C.37	9.6	7.5	3.7	7.2	5.0
G7508W.45	9.6	7.5	5.5	10.0	8.0
G7605A.44	9.7	7.5	4.4	7.0	5.0
G7609C.44	9.7	7.5	4.4	11.0	9.0
G7707A.48	10.7	7.5	4.8	8.8	7.0
G7808A.54	10.0	7.5	5.4	9.5	8.0
G7602W.50	8.6	7.6	5.0	3.1	2.0
G7705A.48	10.7	7.6	4.8	6.5	4.5
G7704W.48	10.6	7.6	4.8	5.0	4.0
G7608A.55	9.6	7.7	5.5	10.0	8.0
G7803D.60	9.6	7.8	6.0	4.0	3.0
G7905A.40	10.0	7.9	4.0	7.0	5.0
G7905A.50	10.0	7.9	5.0	7.2	5.0
G7904A.40	10.0	7.9	4.1	6.3	4.4
G8015C.30	9.4	8.0	3.0	16.5	15.0





Part Number	A	B	C	D	E
G7907A.40	10.0	8.0	4.1	8.3	6.4
G8205W.46	10.2	8.1	4.6	7.2	5.0
G8202C.00	9.4	8.2	4.3	3.0	2.0
G8704A.49	10.7	8.4	4.8	6.0	4.0
G8708A.49	10.7	8.4	4.8	10.0	8.0
G9005T.30	11.2	8.4	2.8	11.0	4.5
G8502N.00	9.5	8.5	6.4	2.2	1.4
G8506W.41	10.0	8.5	4.1	7.0	5.5
G8735C.49	10.7	8.6	4.8	5.0	3.5
G8706C.49	10.7	8.6	4.8	8.0	6.0
G8712C.49	10.7	8.6	4.8	14.0	12.0
G8908A.48	10.6	8.8	4.8	10.3	8.3
G8811A.53	12.9	8.8	5.3	13.5	11.2
G8814C.53	12.9	8.8	5.3	16.4	14.0
G8911A.48	10.6	8.9	4.8	13.3	11.3
G8913A.63	12.7	8.9	6.3	15.2	12.7
G9005A.60	10.7	9.0	6.0	7.0	5.0
G9005T.40	12.0	9.0	4.0	11.0	4.5
G9005W.62	12.7	9.0	6.2	7.5	5.0
G8905T.40	13.0	9.0	4.0	7.0	5.0
G9205A.53	11.6	9.1	5.3	7.0	5.0
G9207C.53	11.6	9.1	5.3	8.7	6.9
G9504A.62	12.0	9.4	6.2	6.6	4.1
G9506W.62	12.0	9.4	6.2	7.3	5.7
G9556W.63	12.0	9.4	6.2	7.9	5.5
G9408A.62	12.0	9.4	6.2	10.5	8.4
G9911C.63	13.5	9.4	5.9	15.6	11.0
G9506C.55	11.7	9.5	5.5	8.2	6.0
G9502C.66	13.2	9.5	6.6	7.8	1.8
G9506O.20	12.8	9.5	2.0	8.0	5.4
G9506A.47	12.7	9.5	4.7	9.5	6.3
G9602C.62	12.0	9.6	6.2	4.4	2.0
G9603C.62	12.0	9.6	6.2	4.6	2.5
G9507A.62	12.0	9.6	6.2	9.0	7.0
G9608C.62	12.0	9.6	6.2	10.5	8.4
G9822A.53	14.7	9.8	5.3	25.0	22.0
G9903C.60	11.8	9.8	6.1	4.4	2.9
G1006W.50	11.8	9.9	4.9	9.0	5.5
G9907A.OR	11.9	9.9	6.1	8.5	7.0
G1002B.00	12.1	9.9	7.0	4.0	2.0
G1004A.70	12.1	9.9	7.0	6.0	4.0
G1109A.70	12.1	9.9	7.0	11.0	8.8
G9909A.70	12.1	9.9	7.0	11.0	9.0
G1009A.13	12.1	9.9	7.0	12.5	9.0
G9813A.63	13.5	9.9	6.3	16.5	13.0
G1011A.40	12.0	10.0	4.0	15.0	11.0
G1007T.50	12.0	10.0	4.9	8.5	6.5




CERAMIC YARN GUIDES

EYELETS




Part Number	A	B	C	D	E
G1011A.50	12.0	10.0	5.0	15.0	11.0
G1011A.60	12.0	10.0	6.0	15.0	11.0
G1003A.70	12.1	10.0	7.0	5.0	3.0
G1065W.65	14.0	10.0	6.5	9.5	6.5
G1008A.40	16.0	10.0	4.0	11.0	8.0
G1004W.81	12.8	10.4	7.9	7.9	4.0
G1102N.00	11.9	10.8	8.5	2.5	1.7
G1109W.65	14.0	10.9	6.5	12.0	9.6
G1119C.77	14.0	11.0	7.7	11.0	8.5
G1110A.77	14.0	11.0	7.7	12.5	10.0
G1105A.77	14.0	11.0	7.7	7.3	5.0
G1265T.78	14.4	11.1	7.3	8.9	6.5
G1135A.70	14.0	11.3	7.0	7.0	5.0
G1137A.70	14.0	11.3	7.0	9.0	7.0
G1138A.70	14.0	11.3	7.0	10.3	8.2
G1188C.78	14.9	11.7	8.3	10.0	7.5
G1202B.00	13.4	11.8	6.7	3.6	2.1
G1197A.78	15.4	11.9	7.6	10.2	7.2
G1204A.78	15.4	11.9	7.6	7.0	4.0
G1203A.60	14.0	12.0	6.0	5.0	3.0
G1265T.68	15.0	12.1	6.6	8.9	6.5
G1217A.87	15.9	12.2	8.7	10.2	7.2
G1254A.87	15.9	12.5	8.7	7.0	4.0
G1257A.87	15.7	12.5	8.7	10.2	7.2
G1260A.87	15.9	12.5	8.7	14.0	11.0
G1274A.16	15.9	12.7	8.7	7.2	4.0
G1287C.18	18.0	12.8	8.7	10.2	7.2
G1288A.18	18.0	12.8	8.7	11.0	8.0
G1281W.18	18.0	12.8	8.7	14.0	11.0
G1402N.00	14.6	13.3	10.6	3.0	2.1
G1404O.10	16.0	14.0	10.0	6.0	4.0
G1475A.10	16.0	14.0	10.0	9.5	7.5
G1502A.10	18.0	15.0	10.0	3.5	2.0
G1506W.10	19.1	15.0	9.7	9.0	6.0
G1556A.10	19.5	15.3	9.7	8.4	5.4
G1550A.10	19.5	15.3	9.7	13.6	10.0
G1534A.10	19.5	15.3	9.7	17.0	14.0
G1602A.00	20.0	16.0	10.0	4.5	2.5
G1810O.12	22.6	18.5	12.3	14.0	10.0
G1959O.14	25.7	19.6	14.0	12.5	9.3
G2199O.13	28.3	22.0	13.2	14.0	9.0
G2197C.16	28.3	22.0	16.0	11.0	7.0
G2190A.16	28.3	22.0	16.0	14.0	10.0
G2596A.20	31.5	25.6	19.8	8.0	6.0
G2595D.20	31.8	25.6	19.8	3.1	0.5
G3020A.20	35.0	29.8	20.2	25.0	20.0

SLOTTED EYELETS




Part Number	A	B	C	D	E	F
W1353T.00	5.3	3.5	2.0	4.2	3.0	0.8 60°
W1403A.00	5.2	3.8	1.6	4.2	3.1	0.8 50°
W1601S.00	10.0	5.9	3.0	2.0	1.0	1.2 30°
W1682A.00	9.2	6.8	4.0	3.2	1.5	1.7 45°
W1733C.00	9.9	7.3	3.2	4.5	2.6	1.5 60°
W1767A.00	10.2	7.6	3.1	9.8	7.2	0.9 60°
W1783O.00	10.3	7.8	3.2	5.5	3.5	1.0 60°
W1793C.00	10.3	7.9	3.2	5.6	3.6	1.0 60°
W1803C.00	10.4	8.0	3.2	5.5	3.5	1.6 60°
W1967A.00	12.6	9.5	4.7	9.8	7.1	3.3
W1104C.00	12.0	10.0	4.0	5.5	3.6	2.0 45°
W1107O.00	12.0	10.0	4.0	7.9	6.9	2.1 45°

PIGTAIL GUIDES




Part Number	A	B	C	D
B3027A-L	2.9	3.0	27.0	18.0
B3027A-R	2.9	3.0	27.0	18.0
B2923O-L	3.0	1.2	23.0	16.0
B3232A-L	3.2	3.0	32.0	22.0
B3232A-R	3.2	3.0	32.0	22.0
B3236A-L	3.2	6.0	36.0	25.0
B4027A-L	3.7	5.0	27.0	18.0
B4027A-R	3.7	5.0	27.0	18.0
B4032A-L	3.9	5.0	32.0	22.0
B4032A-R	3.9	5.0	32.0	22.0
B4036A-L	4.0	4.0	36.0	25.0
B4060A.00	4.0	5.0	60.0	35.0
B5052A-L	4.8	7.0	52.0	39.7
B5042A-L	5.0	5.0	42.0	30.0
B5042A-R	5.0	5.0	42.0	30.0
B6026A-L3	6.0	4.5	26.0	16.0
B6026A-R3	6.0	4.5	26.0	16.0

GROOVED EYELETS




Part Number	A	B	C	D	E	F	G	H
W0581C.30	8.2	5.8	3.0	4.5	6.8	5.0	1.2	1.1
W0582A.10	8.3	5.9	3.0	5.1	6.5	4.9	2.2	0.9
W0582C.14	8.3	5.9	3.0	4.9	6.6	4.9	2.2	1.4
W0602W.32	7.6	6.0	3.2	5.2	5.1	3.8	1.4	1.0
W0622C.30	8.0	6.1	2.9	5.1	5.9	4.0	1.5	1.1
W0642C.30	8.0	6.3	3.0	5.2	5.8	4.0	1.5	1.0
W0652A.38	8.6	6.5	3.7	5.2	5.7	4.1	1.2	0.8
W0743O.35	8.7	7.2	3.4	5.8	7.3	5.7	3.0	1.0
W0746A.35	8.8	7.3	3.4	5.9	10.6	8.6	6.0	1.2
W0753A.44	9.7	7.5	4.5	6.8	7.4	5.5	3.5	1.5
W0821T.30	12.5	7.5	3.0	7.5	30.5	20.8	9.8	4.5
W0784A.40	9.3	7.7	4.0	6.6	8.2	6.7	3.0	1.1
W0794A.35	9.4	7.8	3.6	6.8	8.1	6.4	3.8	1.0
W0795C.40	9.9	7.8	4.3	7.0	10.5	8.3	4.8	1.0
W0804C.15	9.6	7.9	1.6	7.0	8.5	6.5	3.7	1.0
W0804A.36	9.6	7.9	3.8	7.1	8.5	6.7	3.7	1.0
W0125C.78	15.1	11.0	8.3	10.4	11.5	8.6	5.0	1.0
W0126T.64A	15.2	11.1	6.1	10.0	14.2	11.1	6.4	1.4

DOUBLE FLANGED EYELETS



Part Number	A	B	C	D	E
W2543A.00	5.4	2.4	4.4	3.2	1.0
W2693A.00	6.9	3.0	6.0	3.0	1.0
W2804A.12	8.0	3.2	6.1	4.0	1.2
W2804C.20	8.0	3.2	6.0	4.3	2.0
W2805A.00	8.0	3.2	6.1	4.8	1.7
W2916C.00	8.7	3.4	7.4	5.8	2.9
W2807W.35	8.0	3.5	6.0	6.5	3.5
W3187O.00	18.3	3.5	7.6	7.0	2.5
W2836A.00	8.3	3.6	5.6	6.5	1.6
W2816A.00	8.1	4.0	6.1	5.5	2.6
W2909A.40	9.0	4.0	6.8	9.3	5.3
W3169T.4W	15.2	4.1	8.2	19.0	5.5
W3175C.3W	16.5	4.6	10.6	15.5	2.2
W2924A.00	9.1	4.8	6.7	4.0	1.3
W2104A.78	10.4	4.9	7.8	4.0	1.2
W2105A.70	10.4	4.9	7.0	5.3	2.5
W2115A.92	11.0	5.0	9.3	4.5	0.8
W2126A.00	11.9	5.9	9.0	6.2	2.0
W2137W.62	13.0	6.2	11.0	7.0	3.5
W2132S.00	13.0	6.5	10.0	11.8	6.3
W2247A.00	24.1	14.4	20.0	7.0	4.0
W2257A.00	24.5	14.6	20.5	7.2	4.0

TUBES






Part Number	A	B	C
E1510A.09	1.4	0.9	10.5
E2011A.10	1.8	0.9	11.0
E1865A.10	1.9	1.0	6.5
E1911A.09	1.9	1.0	11.0
E1914A.10	1.9	1.0	14.0
E2006A.10	2.0	1.0	6.0
E2007A.10	2.0	1.0	7.0
E2008A.10	2.0	1.0	8.0
E2010A.10	2.0	1.0	10.0
E2014A.10	2.0	1.0	13.8
E2016A.10	2.0	1.0	16.0
E2020A.11	2.0	1.0	20.0
E2025A.10	2.0	1.0	25.4
E2310A.13	2.3	1.3	10.0
E2314A.14	2.3	1.4	14.0
E2503A.16	2.4	1.6	3.0
E2504A.16	2.4	1.6	4.0
E2505A.16	2.4	1.6	5.0
E2506A.16	2.4	1.6	6.0
E2507A.16	2.4	1.6	7.0
E2508A.16	2.4	1.6	8.0
E2509A.16	2.4	1.6	9.0
E2512A.16	2.4	1.6	12.0
E2525A.16	2.4	1.5	25.0
E2565A.15	2.5	1.5	6.5
E2510A.16	2.5	1.4	10.0
E2514A.16	2.5	1.6	14.0
E2515A.16	2.5	1.6	15.0
E3003A.22	2.9	2.0	3.0
E3004A.22	2.9	2.2	4.0
E3005A.22	2.9	1.9	5.0
E3008A.20	2.9	2.0	8.0
E3010A.20	2.9	1.9	10.0
E3012A.20	3.0	2.0	12.0
E3014A.17	2.9	1.7	14.0
E3014A.21	3.0	2.1	14.0
E3020A.20	3.0	2.0	20.0
E3025A.21	3.0	2.1	25.0
E3030A.21	3.0	2.0	30.0
E3016A.20	3.0	2.0	16.0
E3505A.26	3.5	2.6	5.0
E3507A.26	3.5	2.5	7.0
E3807A.26	3.8	2.6	7.0




CERAMIC YARN GUIDES



TUBES



Part Number	A	B	C
E4006A.27	4.0	2.7	6.0
E4010A.26	4.0	2.5	10.5
E4020A.27	4.0	2.6	20.0
E4406A.32	4.4	3.2	6.0
E4840A.33	4.8	3.2	40.0
E5008A.36	5.0	3.6	8.3
E5015A.30	5.0	3.0	15.0
E5020A.37	5.0	3.7	20.0
E5040A.33	5.0	3.3	40.0
E6006A.32	6.4	3.2	6.0
E6013A.43	5.9	4.2	13.0
E6025A.35	6.0	3.5	25.0
E7045A.45	7.0	4.5	45.0
E8020A.50	8.0	5.0	20.0
E8010A.54	8.0	5.4	10.0
E8010S.62	8.0	6.2	10.0
E8020A.55	8.0	5.5	20.0
E8045A.53	8.0	5.3	45.0



Part Number	A	B	C
H3003W.20	3.0	2.0	3.2
H4310T.22	4.3	2.2	10.0
H4805C.35	4.8	3.5	5.0
H5005A.30	5.0	3.0	5.0
H5006A.32	5.0	3.1	6.0
H6006A.30	5.8	3.2	6.0
H6012A.37	5.9	3.7	12.0
H6006A.37	6.0	3.7	6.0
H6004A.30	6.0	3.0	4.0
H6014A.30	6.0	3.0	14.0
H7005A.30	7.0	3.0	5.0
H7010A.42	7.0	4.2	10.0
H8020C.45	7.3	4.2	15.0
H8015A.52	7.8	5.0	15.0
H8015A.52	7.8	5.0	15.0
H8010A.50	8.0	5.0	10.0
H8310C.55	8.3	5.5	10.0
H9018D.40	9.0	4.0	17.7
H9515D.55	9.5	5.5	15.1
H1020A.60	9.8	6.0	20.0
H9822A.55	9.8	5.5	22.2
H9828A.60	9.8	6.0	28.0
H1008C.70	9.9	7.0	8.0
H1009C.43	10.0	4.4	9.0
H1014D.30	10.0	3.0	14.0
H1020W.50	10.0	5.5	20.0
H1022W.55	10.1	5.5	22.0
H1020C.60A	10.4	6.0	20.0
H1320C.83	12.8	8.4	20.0
H1323A.83	12.3	8.4	23.0
H1332A.64	13.0	6.3	32.0
H1340A.64	13.0	6.4	40.0
H1510A.10	15.3	9.8	10.3

ANGLED TUBES





ALL SIZES CAN BE MADE UPON REQUEST.

ROLLERS WITH BEARING



Part Number	A	B	C	D	E
EJ5317320	20.0	15.0	3.0	4.0	3.0
EJ5322028	28.5	20.0	4.0	6.0	4.0
EJ5317330	30.0	15.0	3.0	10.0	3.0
EJ5322440	40.0	20.0	4.0	15.0	4.0
EJ5335645	45.0	30.0	6.0	10.0	6.0
EJ5336651	51.0	30.0	6.0	12.0	6.0
EJ5335660	60.0	30.0	6.0	20.0	6.0
EJ5344660	60.0	40.0	8.0	14.0	7.0
EJ5344680	80.0	40.0	8.0	25.0	7.0
EJ5360979	80.0	50.0	10.0	15.0	9.0
EJ5360910	100.0	50.0	10.0	30.0	9.0
EJ5310513	130.0	100.0	10.0	15.0	9.0
EC8030D20	8.0	6.0	2.0	3.4	2.4
EC1040D20	10.0	8.0	2.0	4.0	3.0
EC1135D20	10.5	7.0	2.0	3.5	2.3
EC1460D30	14.0	10.0	3.0	6.0	3.0
EC1770D40	16.5	13.5	4.0	7.0	4.0
EC2010D40	20.0	14.0	4.0	10.0	4.0
EC2308A40	23.0	15.0	4.0	8.0	5.0
EC3024D50	30.0	20.0	5.0	24.0	10.0
EC3010D80	30.0	22.0	8.0	10.0	5.0
EC4012D80	40.0	24.0	8.0	12.0	5.0
EC4024D80	40.0	27.0	8.0	24.0	14.5

EJ-PLASTIC



- (1)Both V and U groove are available.
- (2)Both polished and without polished are available.



EC-CERAMIC



CERAMIC DISCS & METAL DISCS



CERAMIC DISCS

Part Number	A	B	C	WT
W6213A.15	20.6	5.2	2.1	1.5
W6214A.15	20.6	6.8	2.1	1.5
W6214A.25	20.6	6.8	3.4	2.3
W6223W.00	22.0	5.3	3.6	2.2
W6243A.20	24.0	8.2	3.0	1.4
W6243A.30	24.0	8.2	3.0	2.3
W6253A.30	24.7	10.2	3.5	3.0
W6253C.50	24.7	10.2	5.1	5.0
W6253W.30	24.7	10.2	3.5	3.0
W6263A.30	25.4	8.6	3.0	3.0
W6263C.35	26.0	8.5	2.8	4.4
W6273A.00	26.5	10.6	3.0	3.0
W6273A.13	26.5	13.0	3.0	3.0
W6293A.40	29.5	10.9	4.0	5.4
W6365A.00	36.4	10.5	3.7	7.5
F4048T.00	35.0	15.0	4.0	
W6365A.11	36.4	11.7	3.6	12.5

METAL DISCS

Part Number	A	B	C	WT	CHROMED
DCM22786	22.8	8.5	3.0		
DCM23261	23.0	6.1	2.4		
DCM23112	23.4	11.2	2.0	1.2	
DCM24256	24.2	5.6	2.5	1.5	
DCM26383	26.3	8.3	3.1	1.8	SHINING
DCM28388	28.3	8.8	2.7	2.2	
DCM30265	30.0	6.5	2.7		
DCM30311	30.3	11.0	4.0	3.2	SHINING
DCM30402A+P	30.4	2.9	3.5	1.8	DULL
DCM35410A	35.3	10.0	4.0		DULL
DCM35510A	35.5	11.0	3.6	5.5	SHINING
DCM35510	35.5	11.0	5.8	5.4	DULL
DCM35511	35.5	10.4	3.8	3.0	DULL
DCM35710A	35.7	10.3	6.1	6.5	SHINING
DCM35710A-4	35.7	10.3	6.0	4.5	SHINING
DCM35710A-5	35.7	10.3	5.7	5.6	SHINING
DCM36510A	36.0	10.2	5.5	6.0	DULL
DCM380107	38.0	10.7	4.0	6.8	DULL

